

L Number	Hits	Search Text	DB	Time stamp
-	76535	device with (search query or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:26
-	2449	((device with (search query or request)) and attribute with device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:26
-	734	((device with (search query or request)) and attribute with device) and (refine or second) with (search query request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:13
-	378	((device with (search query or request)) and attribute with device) and (refine or second) with (search query request)) and attribute with (search query or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 08:27
-	54	((device with (search query or request)) and (narrow and broad) with (search query request))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 09:57
-	7675	((device with (search query or request)) and (zero or none or no) with (match result hit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 09:59
-	9136	((device with (search query or request)) and (zero or none or no) with (match result hit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:00
-	10339	((device with (search query or request)) and (zero or none or no) with (match\$3 result\$3 hit\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:01
-	88	((device with (search query or request)) and (zero or none or no) with (match result hit)) or ((device with (search query or request)) and (zero or none or no) with (match result hit)) or ((device with (search query or request)) and (zero or none or no) with (match\$3 result\$3 hit\$3)) and (narrow\$3 and broad\$4) with (search query request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:09
-	2897	device with directory and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:10
-	223	((device with (search query or request)) and attribute with device) and (device with directory and network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:11
-	92	((device with (search query or request)) and attribute with device) and (device with directory and network) ) and ((device with (search query or request)) and (zero or none or no) with (match\$3 result\$3 hit\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 12:02

-	92	(((((device with (search query or request)) and attribute with device) and (device with directory and network) ) and ((device with (search query or request)) and (zero or none or no) with (match\$3 result\$3 hit\$3))) not (((device with (search query or request)) and (zero or none or no) with (match result hit)) or ((device with (search query or request)) and (zero or none or no) with (match result hit)) or ((device with (search query or request)) and (zero or none or no) with (match\$3 result\$3 hit\$3))) and (narrow\$3 and broad\$4) with (search query request))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 10:11
-	2	"6348971"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 12:05
-	0	6348971.URPN.	USPAT	2003/04/28 12:03
-	0	6348971.URPN.	USPAT	2003/04/28 12:03
-	5	("5220674"   "5467434"   "5559933"   "5580177"   "5978557").PN.	USPAT	2003/04/28 12:03
-	7956	(search or query request) with attribute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 12:05
-	556	((search or query request) with attribute) and (reduce or limit) with attribute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:15
-	52	((search or query request) with attribute) and (reduce or limit) with attribute) and 707/3-5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:21
-	304	(query or request search find match) with attribute with (reduce or limit subset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:15
-	326646	(no zero none) with (match hit result)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:17
-	17	((no zero none) with (match hit result)) same (reduce or limit) with attribute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:35
-	146	((query or request search find match) with attribute with (reduce or limit subset) ) and ((no zero none) with (match hit result))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:24
-	432	((no zero none) with (match hit result)) same (reduce or limit subset) with (attribute parameter terms)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:40
-	141	((no zero none) with (match hit result)) with (reduce or limit subset) with (attribute parameter terms)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:19

-	10	((no zero none) with (match hit result)) with (reduce or limit subset) with (attribute parameter terms) and network with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 13:42
-	45	((no zero none) with (match hit result)) same (reduce or limit subset) with (attribute parameter terms) and network with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:21
-	56007	first and (second subsequent) with (request search query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:16
-	43115	(first and (second subsequent)) with (request search query)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:17
-	2493	((first and (second subsequent)) with (request search query)) and (reduce or limit subset) with (attribute parameter terms)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:20
-	284	((first and (second subsequent)) with (request search query)) and (reduce or limit subset) with (attribute parameter terms) and 707/3-5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:21
-	91	((first and (second subsequent)) with (request search query)) and (reduce or limit subset) with (attribute parameter terms) and 707/3-5.ccls.) and network with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:40
-	175	(narrow\$3 and broad\$3) with (search query request) and ((no zero none) with (match hit result))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:57
-	108	((narrow\$3 and broad\$3) with (search query request) and ((no zero none) with (match hit result))) and (707/\$ 709/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/28 14:58
-	574	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:42
-	13	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attributes parameters properties) and network with (device or printer) with (attributes condition criteria)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:45
-	308	((no zero none) near3 (match\$3 hit\$3 result\$4)) and (broad\$2 alter change modify) with (search query request) with (criteria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:42
-	152	((no zero none) near3 (match\$3 hit\$3 result\$4)) and (broad\$2 alter change modify) with (search query request) near4 (criteria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:42
-	231	((no zero none) near3 (match\$3 hit\$3 result\$4)) and (broad\$2 alter change modify) with (search query request) near4 (criteria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:43

-	108	((no zero none) near3 (match\$3 hit\$3 result\$4)) and (broad\$2 alter change modify) with (search query request) near (criteria attributes parameters properties)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:43
-	694	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:44
-	16	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and network with (device or printer) with (attributes condition criteria)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:44
-	3	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and network with (device or printer) with (attributes condition criteria)) not (((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attributes parameters properties)) and network with (device or printer) with (attributes condition criteria))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:44
-	6	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attributes parameters properties)) and network with (device or printer) with (find locate search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:49
-	0	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attributes parameters properties)) and directory with (device or printer) with (find locate search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:48
-	7	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attributes parameters properties)) and directory with (device or printer) and (find locate search) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:22
-	9	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and directory with (device or printer) and (find locate search) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:49
-	8	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and network with (device or printer) with (find locate search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:49

-	17	((((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attributes parameters properties)) and directory with (device or printer) and (find locate search) with device) (((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and directory with (device or printer) and (find locate search) with device) (((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and network with (device or printer) with (find locate search))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 06:49
-	1	((((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and network with (device or printer) with (attributes condition criteria)) and directory with (device or printer) and (find locate search) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:24
-	185	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and 707/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:23
-	1	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and 707/3-5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:24
-	3	((((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and network with (device or printer) with (attributes condition criteria)) and (device or printer) with (parameter attribute property) and (find locate search) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:31
-	15	((((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and network with (device or printer) with (attributes condition criteria)) and (device or printer) with (parameter attribute property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:32
-	37223	device near4 (attribute property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:30
-	1309	(device near4 (attribute property)) and (search query locate find) near5 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:31
-	204	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:38
-	19	((device near4 (attribute property)) and (search query locate find) near5 device) and (((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:32

-	53	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property) and (find locate search) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:40
-	59	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property) ) and (find loacte search query) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:39
-	26	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property) and (find locate search) near4 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:40
-	6	((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property)) and (device or printer) with (parameter attribute property) ) and (find loacte search query) with match\$3 with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:41
-	58	broad\$3 with (search query) near3 (criteria attributes parameter property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:53
-	0	(first and second) with (request search or query) and broadend with select with (less smaller) with (parameter attribute property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:55
-	0	(first and second) with (request search or query) and broad\$2 with select with (less smaller) with (parameter attribute property)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:56
-	7120	(first and second) with (request search or query) and broad\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:58
-	110	((first and second) with (request search or query) and broad\$2 ) and (((no zero none) with (match\$3 hit\$3 result\$4)) and (broaden alter change modify) with (search query request) with (criteria attribute parameter property))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 07:58
-	19	5715444.URPN.	USPAT	2003/04/29 08:04
-	110178	(select or choose) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:46
-	750	((select or choose) with device) and device with (search and (attribute parameter property))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:53
-	309	((select or choose) with device) and device with (search and (attribute parameter property))) and device with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:57

-	157581	(result search query) with (first and second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 11:01
-	89	((result search query) with (first and second)) and (((select or choose) with device) and device with (search and (attribute parameter property))) and device with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 11:08
-	56	709/221-231.ccls. and (((select or choose) with device) and device with (search and (attribute parameter property))) and device with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 11:08
-	328	select with device with criteria	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 11:47
-	53	(select with device with criteria) and display with (result match hit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 11:48